SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.

DATED

8/21/2007

ADDE	NDUM NO	2	DATED	8/23/20	007	ADDENDUM N	O	DATED			
Number 1 2	replaces same	e; SP 907-6 replace san in Plan A) k Required. e of Conter e; Add NTB' SP 907-512	t; Revised NT 87-5,replaces s me; Revised F & (2 & 4 in nt; Revised NT s 1705 & 1706 2-1; Bidsheets,	907-687- Plan Sht. Plan B); B 1512, Add SP	(Mus Respo	AL ADDENDA: t agree with total ad ectfully Submitted, E	Contra Signa	actor			
						RESS					
					CITY	, STATE, ZIP					
					PHO	NE					
					FAX						
					E-MA	AIL					
To be fill	ed in if a corp	oration)									
itles and	Our corporation business addre	n is charter esses of the	red under the executives a	Laws of the re as follow	e State ws:	of			and	the	names,
	Pres	ident					Addres	SS			
	Seci	etary					Addres	SS			
	Trea	surer					Addres	SS			

The following is my (our) itemized proposal.

1

ADDENDUM NO.

DATED

TABLE OF CONTENTS

PROJECT: ER-NH-0003-01(108) / 104569306 &

ER-NH-0003-01(108) / 104569308 -- Harrison County

READVERTISEMENT NOTICE TO BIDDER NO. 1685

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1

Status of ROW, Utility Adjustments and Underground Storage

Tanks, W/Attachments - # 2

Final Cleanup - # 3

Federal Bridge Formula - # 12 Submission of Form OCR-485 - # 13

Gopher Tortoises - # 151

Open Burning- Restrictions On Ozone Action Days - # 342 Storm Water Discharge Associated W/Construction Activities

(>5 Acres)) - # 586

Fiber Reinforced Concrete - # 640

Disadvantage Business Enterprise W/Supplement - # 696

On-The-Job Training Program - #777 DBE Participation and Payment - #882

Payroll Requirements - # 883

Radio Interconnect, <u>W/Appendix</u> - # 1140 Non-Use of Precast Drainage Units - # 1322

Errata & Modifications to 2004 Standard Specifications - # 1405

Contract Time - # 1510 Specialty Items - # 1511

Cooperation Between Contractors and Utilities - # 1512

Performance Period - # 1513

Roadway Construction Staking - # 1514

Joint Sealing - # 1515 Vibratory Roller - # 1516 Maintenance of Traffic - # 1521 Automatic Traffic Recorder - # 1627 Petroleum Products Base Price - # 1650 Sequence Of Operations - # 1666

Bid Items - # 1705 Pressure Grouting - # 1706

906: Required Federal Contract Provisions -- FHWA-1273, W/Supplement

907-104-1: Partnering Process

907-105-3: Cooperation By Contractors

907-107-1: Liability Insurance, W/Supplement

907-107-2: Permits License, and Taxes

-CONTINUED ON NEXT PAGE-

PAGE 2 – PROJECT NO: ER-NH-0003-01(108) / 104569306 & ER-NH-0003-01(108) / 104569308 -- Harrison County

907-107-3:	Contractor's Protection Plan
907-108-11:	Prosecution and Progress
907-108-13:	Liquidated Damages Table
907-109-3:	Partial Payment, W/Supplement
907-213-1:	Agricultural Limestone
907-237-1:	Wattles
907-227-4:	Hydroseeding
907-401-2:	Hot Mix Asphalt (HMA), W/Supplement
907-403-4:	Hot Mix Asphalt (HMA), W/Supplement
907-512-1:	Grout Mixture
907-603-5:	Video Pipe Inspection
907-618-4:	Placement of Temporary Traffic Stripe
907-619-1:	Changeable Message Sign
907-622-4:	Field Office Building
907-626-4:	Thermoplastic Markings
907-626-12:	Double Drop Thermoplastic Stripe
907-629-1:	Retaining Wall Crash Cushion
907-630-3:	Contractor Designed Overhead Sign Supports
907-639-1:	Traffic Signal Equipment Poles
907-648-1:	Radio Interconnect
907-649-1:	Video Vehicle Detection
907-687-5:	Loop, Sensor, Loop Automatic Traffic Recorder (ATR) Station
907-701-2:	Portland Cement
907-707-2:	Joint Material
907-708-3:	Non Metal Drainage Structures
907-711-3:	Synthetic Structural Fiber Reinforcement
907-714-2:	Miscellaneous Materials
907-715-1:	Agricultural Limestone
907-804-2:	Concrete Bridges and Structures W/Supplement
006.2.	MDOT On the Lob Training Program

906-3: MDOT On-the-Job Training Program 906-6: MDOT On-the-Job Training Program - Alternate Program

SECTION 905 - PROPOSAL, PROPOSAL SHEET NOS. 2-1 THRU 2-16, COMBINATION BID PROPOSAL, CERTIFICATE OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS, NON-COLLUSION CERTIFICATE, SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM, OCR-485.

HAUL PERMIT FOR BRIDGES WITH POSTED WEIGHT LIMITS.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)

CODE: (SP)

SECTION 904 - NOTICE TO BIDDERS NO. 1512

DATE: 08/22/2007

SUBJECT: Cooperation Between Contractors and Utilities

PROJECT: ER-NH-0003-01(108) / 104569306 &

ER-NH-0003-01(108) / 104569308 -- Harrison County

The Bidder's Attention is hereby called to Subsections 105.06, Cooperation With Utilities, & 105.07, Cooperation Between Contractors, of the 2004 Edition of the Mississippi Standard Specification for Road and Bridge Construction.

This project adjoins projects ER-BR-0003-01(099)/104556301 & 302 & ER-NH-0003-01(106) / 104569304 in the county of Harrison, which will be in progress. The MDOT Contractors and Utility Contractors shall cooperate with each other and with the Department during construction of the adjoining projects to avoid mobilizing in an area that would result in a conflict.

Bidders are advised that there will be utility restoration work within the limits of this project. Contractors shall closely coordinate their work schedule with the Utility Contractors and/or the City through the Project Engineer to avoid mobilizing into an area that would result in a conflict. In the coordination efforts, the MDOT Contractors may be required to shift their operations to another location or suspend operations due to the utility restoration which must be accomplished prior to the full restoration of US 90 and to avoid performing work that may be damaged by one of the other contracts.

Validity of time extensions will be assessed based upon coordination efforts with all Contractors involved and availability of other areas to perform the desired operation(s).

Any delays due to activities of Utility Contractors performing hurricane restoration will not be grounds for any type of monetary compensation.

Utility permits/plans are available for viewing at either the Lyman Project Office or the District Office. Mr. Anthony McFarlin at (228) 832-0277 is the contract person regarding utility permits/plans. Bidders are advised that they shall be required to review the utility documents/plans and complete the attached certification in order to bid this project.

The successful bidder shall familiarize themselves with the existing and pending utility contracts referred to above and comply with the provisions of Subsections 105.06 & 105.07 of the Standard Specifications.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION CERTIFICATION

FAILURE TO COMPLETE AND SUBMIT THIS CERTIFICATION WITH BID DOCUMENTS, WILL CAUSE THE BID TO BE CONSIDERED IRREGULAR.

Signature

CODE: (SP)

SECTION 904 - NOTICE TO BIDDERS NO. 1705

DATE: 08/22/2007

SUBJECT: Bid Items

PROJECT: ER-NH-0003-01(108) / 104569306 & 308 -- Harrison County

Bidders are advised that there are item listed on the bid sheets for this project that are not listed on the summary of quantities sheets in the plans. The bid sheets include bid items for wattle and pressure grouting that are not shown on the plans. Bidders are to include bid prices for pay item nos. 907-237-A, 512-A, 907-512-B and 512-C.

SECTION 904 - NOTICE TO BIDDERS NO. 1706

CODE: (SP)

DATE: 08/22/2007

SUBJECT: Pressure Grouting

PROJECT: ER-NH-0003-01(108) / 104569306 & 308 -- Harrison County

Bidders are advised that there are voids under the roadway pavement on US 90 that must be filled. These voids will be filled using pay item nos. 512-A, 907-512-B, & 512-C. The following is a list of locations and volumes to be filled.

Was	thound land	e 1 Biloxi Ba	v to Caille	ot	Westbound lane 2 Biloxi Bay to Caillavet				
58.125	47.353	49.511	y to Calliav	et	50.868	39.259	74.061	to Camavet	
65.663	44.031	37.282			60.257	39.239	59.184		
76.469	44.031	59.06			82.487	56.799	61.837		
78.333	31.354	44.804			90.659	72.548	52.325		
91.041	52.122	51.752			115.4	72.546 71.835	68.652		
70.17	31.889	63.4			136.276	53.762	57.028		
71.747	68.135	42.707			85.358	72.434	48.416		
23.837	52.745	45.701			52.129	62.113	51.16		
38.502	18.991	38.257			72.052	67.55	90.837		
64.692	17.033	26.381			134.293	57.366	65.094		
31.402	24.568	44.797			42.948	68.525	100.976		
85.499	31.566	20.493			84.178	64.823	98.055		
87.806	47.739	15.117			80.663	39.954	107.163		
123.316	31.642	24.016			119.643	75.576	87.241		
96.873	25.968	29.457			65.778	54.458	72.67		
163.503	16.373	25.349			89.483	34.436	52.794		
111.317	31.77	22.5			103.757	34.091	79.866		
77.193	40.259	20.89			105.737	30.238	131.606		
57.601	24.281	84.261			88.926	34.624	72.805		
72.914	41.185	54.38			67.888	45.016	88.032		
39.214	36.858	62.818			105.807	37.006	71.966		
23.516	56.762	90.422			77.649	51.000	78.348		
38.171	60.032	83.856			94.973	68.024	40.946	151.187	
19.966	30.804	161.24			92.69	64.218	49.026	173.236	
20.745	36.722	140.925			88.914	69.882	64.493	119.528	
15.11	60.805	193.745			68.7	49.828	68.119	127.759	
31.172	58.13	25.903			99.731	49.020	56.899	127.739	
34.232	43.884	22.195			139.548	46.554	62.093	95.423	
16.291	73.869	15.109	13.493		109.373	54.941	60.144	146.348	
28.479	65.776	9.534	14.959		104.805	64.661	103.956	141.219	
30.263	97.622	14.798	20.572		93.717	47.031	165.362	46.17	
47.828	74.97	14.292	10.215		33.717	77.001	100.002	70.17	
1890.99	1420.16	1634.95	59.24		2804.50	1676.68	2341.15	1123.84	

5005.34 ft³ 7946.17 ft³

Eastbou	und Lane 1 (Caillavet to Biloxi Bay Bridge	Eastbou	und Lane 2 (Caillavet to Biloxi Bay Bridge
27.174	25.534	29.616	74.836	75.181	121.367
21.776	21.091	21.314	84.625	78.157	130.561
31.106	16.672	31.723	73.547	64.478	113.134
42.391	23.446	23.937	50.948	44.215	59.791
28.794	26.77	27.924	95.093	78.41	111.574
49.634	20.03	27.029	128.704	91.498	70.877
36.774	24.645	26.918	133.393	75.824	102.242
25.571	38.95	24.014	129.014	63.786	79.315
36.467	56.12	24.863	141.299	94.645	95.827
43.839	52.181	28.225	89.652	66.76	127.347
16.546	63.705	20.425	29.654	115.825	153.297
16.906	79.61	25.341	48.82	114.07	124.906
10.861	76.293	28.188	24.531	52.65	110.031
13.172	85.182	23.451	42.685	95.444	99.983
19.091	73.775	31.568	59.526	83.429	113.693
17.534	67.671	30.611	112.892	66.8	145.938
15.38	65.097	34.046	108.276	70.839	155.889
18.058	29.43	20.485	55.414	55.615	106.819
20.364	27.038	33.274	60.916	59.082	130.8
15.345	37.451	30.545	62.461	102.131	149.26
90.671	18.879	30.951	57.496	86.124	73.525
56.010	19.462	27.371	112.167	100.281	115.542
63.040	27.656	28.348	118.986	84.569	184.076
73.665	23.068	27.007	114.556	126.386	71.302
57.617	27.023	51.403	54.018	80.635	
36.259	20.555	88.058	53.446	73.863	
47.093	27.387	135.166	47.694	104.659	
51.719	23.483	67.515	71.673	80.494	
46.011	22.894	68.271	70.876	102.301	
34.504	15.86	59.408	63.658	73.725	
21.778	32.774	34.962	60.449	87.455	
24.415	23.997	74.052	61.384	124.342	
23.554	18.456	82.979	73.83	111.433	
		49.628	110.906	133.924	
			117.229	115.667	
			96.514	103.497	
			108.001	86.624	
1133.12	1212.19	1368.62	2999.17	3224.82	2747.10

3713.92 ft³ 8971.08 ft³

East	Bound Land	e 1 Rodenbe	erg to Caila	vet	East	Bound Lane	2 Rodenber	g to Caillavet	
11.084	34.238	38.627	12.725	24.212	45.173	52.66	55.728	129.353	
18.621	43.088	39.426	4.57	14.738	68.331	80.356	67.027	59.885	
18.512	28.164	30.186	10.796	5.98	57.101	50.301	77.009	53.769	
15.595	15.028	14.644	15.067	6.076	59.434	93.805	69.409	70.884	
13.797	21.088	11.401	8.489	58.561	54.018	49.138	95.588	73.978	
14.121	54.18	9.174	60.616	24.361	72.073	90.422	79.443	39.913	
14.011	48.945	14.641	24.917	16.578	61.239	38.001	112.985	66.425	
26.453	39.035	14.484	50.835	7.839	78.494	10.926	38.468	66.245	
32.587	63.016	10.673	24.541	19.148	45.932	11.124	72.694	142.242	
51.556	70.898	11.824	28.733	17.979	23.976	10.905	48.927	87.947	
44.41	83.952	14.084	31.065	16.241	39.035	21.805	78.139	35.206	
35.005	79.241	12.499	25.266	24.191	40.623	22.971	58.543	64.389	
28.543	75.34	13.562	20.388	76.866	40.224	21.008	49.085	88.186	
28.463	91.856	14.474	32.763	45.434	57.753	9.761	44.115	64.678	
29.023	129.259	16.619	44.1	39.837	35.272	27.934	97.768	21.968	
31.89	111.95	10.437	21.189	31.941	31.524	28.396	60.118	55.454	
24.815	67.745	17.499	15.685	26.494	24.51	17.771	100.645	66.467	
24.479	88.993	14.797	7.064	19.916	32.369	15.172	70.053	36.219	
15.294	85.957	5.526	4.939	21.573	32.721	15.633	81.614	43.187	
45.696	44.997	3.912	5.326	37.806	50.756	10.973	81.524	36.925	
53.362	76.092	11.713	7.88	17.369	46.393	8.861	63.14	35.433	
32.837	52.6	6.154	7.103		28.338	20.631	64.855	58.488	
22.754	75.501	7.54	8.614		44.514	21.254	96.134	57.732	
28.568	94.096	11.694	16.912		40.358	13.541	39.504	78.03	
24.027	75.937	17.377	9.702		49.839	14.372	42.124	81.75	
43.346	69.944	15.474	12.912		57.373	9.141	49.167	48.704	
127.868	89.23	15.548	54.085		71.502	58.221	49.187	15.674	
58.505	59.317	12.824	61.945		105.667	35.457	61.518	25.375	
42.821	43.268	15.062	49.722		96.012	54.303	42.103	40.1	
48.37	37.606	5.471	49.44		74.516	38.552	82.29	23.726	
27.11	48.974	10.26	78.348		68.544	51.913	67.784	13.754	
54.834	36.98	9.735	65.35		43.601	66.99	54.129	14.697	
22.142	47.193	13.019	58.006		51.174	35.419	47.162	25.319	
40.805	61.556	12.64	42.561		43.905	64.839	57.721	24.882	
30.747	66.828	7.424	71.418		69.151	37.678	72.16	13.758	
19.349	47.115	10.888	80.501		37.06	62.978	91.883	19.029	
25.778	47.167	11.805	93.219		65.55	97.679	82.052	17.408	
					47.741	77.008	56.832	45.348	
					56.886	65.592	59.089	40.55	35.821
					62.29	77.237	80.332	33.286	86
					29.145	71.213	63.568	28.674	80.994
					60.196	52.281	46.797	46.741	1.231
1227.18	2306.37	513.12	1216.79	553.14	2200.31	1714.22	2808.41	2091.78	204.05
1227.18	2306.37	513.12	1216.79		2200.31	1714.22	2808.41	2091.78	

5816.60 ft³ 9018.77 ft³

West	Bound Lane	e 1 Caillavet	to Rodenb	erg	West	Bound Lane	e 2 Caillavet	to Rodenberg
69.96	22.96	25.589	14.508		52.17	137.45	148.643	41.392
109.818	35.219	40.273	18.494		45.479	150.062	118.716	47.196
142.835	45.448	65.498	19.243		64.991	102.501	75.456	81.103
94.006	38.79	59.45	19.548		103.908	136.552	97.778	76.781
80.594	48.878	62.54	12.612		74.585	196.677	82.675	65.943
110.026	100.109	20.587	30.877		106.394	185.77	97.358	10.131
71.622	46.493	60.341	42.151		147.081	136.031	58.858	13.131
39.751	93.062	42.435	45.018		102.119	62.034	125.31	6.898
116.412	53.603	51.475	197.396		35.111	80.022	98.305	10.296
121.193	97.079	15.7	254.427		83.254	67.21	156.14	15.53
89.211	45.554	12.546	249.288		50.364	138.433	90.404	8.915
83.131	19.062	8.825	69.615		58.622	90.088	82.051	11.586
120.711	20.236	10.8	116.433		53.141	68.826	150.395	8.343
81.992	20.463	12.324	51.74		109.935	81.344	123.68	7.224
85.296	20.665	9.179	79.51		84.599	100.908	188.5	8.545
96.255	24.935	7.99	88.962		52.501	107.534	129.227	131.311
101.738	26.594	14.112	95.016		105.137	100.738	79.2	99.444
54.466	30.095	3.39	108.472		92.955	100.984	56.988	54.082
95.317	28.456	15.176	120.625		121.69	86.179	58.544	92.964
79.441	39.855	12.617	120.965		137.838	86.306	56.947	86.176
32.921	46.916	14.302	49.435		83.372	50.153	68.942	166.836
59.742	30.293	9.85	31.87		108.375	39.388	57.677	142.232
21.424	42.699	12.094	49.681		126.458	26.928	58.518	133.221
18.469	45.715	10.635	34.859		114.894	102.51	78.808	136.849
28.137	31.536	11.896	47.284		164.23	65.009	193.872	121.06
36.099	26.998	9.752	136.598		93.787	94.43	109.539	
38.968	45.738	11.987	162.114		132.099	83.638	62.881	
54.674	43.31	6.606	163.684		119.033	136.501	68.448	
47.752	32.224	8.845	92.408		38.475	188.299	68.775	
31.097	62.809	8.097	36.25		39.68	120.836	65.293	
22.282	27.721	16.279	13.874		66.146	120.065	68.806	
17.624	12.157	30.097	18.138		79.46	141.95	34.058	
32.717	13.657	25.519	11.968		52.722	100.396	42.579	
23.318	13.772	32.823	8.209		52.721	136.405	65.104	
18.633	15.439	27.847	24.801		69.634	92.571	97.897	
20.832	13.09	23.09	9.218	19.077	64.658	121.422	41.475	
24.546	20.524	53.316	11.542	18.408	44.901	170.355	29.606	
21.282	7.264	38.375	4.926	10.014	52.321	108.59	27.085	
36.122	7.308	41.874	13.218	25.699	147.802	189.238	35.625	
24.882	13.164	24.727	2.628	20.044	121.781	153.819	32.481	
22.061	12.107	13.566	42.251	56.198	162.667	166.973	34.839	
14.232	27.62	12.122	24.42	53.132		1005.15		
2491.59	1449.62	994.55	2744.28	202.57	3617.09	4625.13	3417.48	1577.19

7882.60 ft³

Grand Total 61591.37 ft³

13236.89 ft³

CODE: (SP)

SPECIAL PROVISION NO. 907-237-1

DATE: 04/11/2006

SUBJECT: Wattles

Section 907-237, Wattles, is hereby added to and made a part of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction as follows.

SECTION 907-237 - WATTLES

<u>907-237.01--Description</u>. This work consists of furnishing, constructing and maintaining wattles for the retention of soil along the toe of fill slopes, around inlets, swale areas, small ditches, sediment basins and other areas as directed by the Engineer in accordance with the requirements shown on the plans and these specifications. Also, the work includes removing and disposing of the wattles checks and silt accumulations as directed by the Engineer.

Measurement and payment for wattles will be made only when ordered and a pay item is included in the bid schedule of the proposal. The quantity is estimated for bidding purposes only and will be dependent upon actual conditions which occur during construction of the project.

<u>907-237.02--Materials.</u> Wattles shall have a minimum diameter of eight inches (8") and a length adequate to meet field conditions. The stakes used in securing the wattles in place shall be placed approximately four feet (4') apart throughout the length of the wattle. Stakes shall be wooden and of adequate size to stabilize the wattles to the satisfaction of the Engineer.

Wattles shall be one of the following, or an approved equal.

- 1. Ultra-StormWattle by Ultra-Tech International, Inc., 1-800-353-1611, www.spillcontainment.com/index.htm
- 2. Straw Wattles by California Straw Works, Inc., 1-916-453-1456, www.strawwattles.com
- 3. Earth Saver Wattles by Earth Saver Erosion Control Products, Inc., 1-800-WATTLES, www.earth-savers.com

907-237.03--Construction Requirements.

<u>907-237.03.1--General.</u> The wattles shall be constructed at the locations and according to the requirements shown on the plans, or as directed by the Engineer. Wattles required along the toe of fill slopes shall be constructed prior to grading operations at the site. For other locations, the wattles shall be constructed when directed by the Engineer.

The soil shall be excavated at least three inches in depth to embed the wattle. After securing in place, a sufficient quantity of the excavated material shall be placed around the wattle and compacted to prevent undermining.

<u>907-237.03.2--Maintenance and Removal.</u> The Contractor shall maintain the wattles and remove and dispose of silt accumulations as directed by the Engineer.

When the wattles are no longer needed, they shall be removed and the Contractor shall dispose of silt accumulations and treat the disturbed areas in accordance with the contract requirements.

907-237.04--Method of Measurement. Wattles will be measured per linear foot.

<u>907-237.05--Basis of Payment.</u> Wattles, measured as prescribed above, will be paid for at the contract unit price per linear foot, which price shall be full compensation for installation, maintaining and removal of the wattles, the removal and disposal of silt accumulations and any required restoration of the disturbed areas.

Payment will be made under:

907-237-A: Wattles

- per linear foot

CODE: (SP)

SPECIAL PROVISION NO. 907-512-1

DATE: 03/6/2005

SUBJECT: Grout Mixture

Section 907-512, Pressure Grouting Concrete Pavement, of the 2004 Standard Specifications for Road and Bridge Construction is hereby amended as follows:

<u>907-512.02.2--Portioning Grout Mixture.</u> Delete the table at the top of page 342 and substitute the following:

GROUT MIXTURES PERCENT BY WEIGHT OF DRY MATERIALS

DRY MATERIALS			TYI	PES		
	1	2	3	4	5	6
Cement	25	25	25	25	30	25
Limestone Dust		25	75	50		
Fly Ash	25			25	70	
Fine Sand	50	50				75
Calcium Chloride	*	*	*	*	*	

^{*} As prescribed in Subsection 512.03.1

<u>907-512-05--Basis of Payment</u>. Delete the first pay item listed on the top of page 347, and substitute the following:

907-512-B: Portland Cement Pressure Grout Slurry, Type _____ - per pound

Grading, Draining, Paving & Replacing traffic signals on US 90 between Rodenburg Ave. and Biloxi Bay, known as Federal Aid Project Nos. ER-NH-0003-01(108) / 104569306 & ER-NH-0003-01(108) / 104569308, in the County of Harrison, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

*** SPECIAL NOTICE TO BIDDERS ***

BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED. BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED ***BID SCHEDULE***

Line	Item Code	Adj	Quantity	Units	Description	Unit Price	;	Item Amou	ınt
No.		Code				Dollar	Ct	Dollar	Ct
					Roadway Items				
0010	201-A001		1	Lump Sum	Clearing and Grubbing	XXXXXXXX	XXX		
0020	202-A001		1	Lump Sum	Removal of Obstructions	XXXXXXXX	XXX		
0030	202-B024		3,845	Square Yard	Removal of Concrete Median & Island Pavement, All Depths				
0040	202-B035		12,373	Square Yard	Removal of Concrete Sidewalk				
0050	202-B038		78,324	Linear Feet	Removal of Curb, All Types				
0060	202-B047		1	Each	Removal of Guard Rail Bridge End Section, Type H				
0070	202-B051		75	Linear Feet	Removal of Guard Rail, Double Faced Rail Including Hardware, Post & Rail				
0080	202-B057		2	Each	Removal of Inlets, All Sizes				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount	
0090	202-B078		2,840	Square Yard	Removal of Pavement, All Types and Depths			
0100	202-B094		93	Linear Feet	Removal of Curb &/or Curb and Gutter, All Types			
0110	202-B102		168	Linear Feet	Removal of Guard Rail			
0120	202-B106		4,268	Linear Feet	Removal of Pipe, All Sizes			
0130	202-B137		1	Each	Removal of Guard Rail Cable Anchor			
0140	202-B174		1,062	Linear Feet	Removal of Debris and Sand From Box Culvert, Less Than 6-foot Width			
0150	202-B175		267	Each	Removal of Debris and Sand From Inlet and Junction Box, AllTypes & Sizes			
0160	202-B176		16,098	Linear Feet	Removal of Debris and Sand From Pipe, 18" to Less Than 36" Diameter			
0170	202-B177		2,616	Linear Feet	Removal of Debris and Sand From Pipe, 36" to Less Than 54" Diamater			
0180	202-B179		150	Linear Feet	Removal of Debris and Sand From Pipe, 51" x 31" Arch Pipe			
0190	202-B181		736	Linear Feet	Removal of Debris and Sand From Pipe, 65" x 40" Arch Pipe			
0200	202-B182		2,201	Linear Feet	Removal of Debris and Sand From Pipe, Less Than 18" Diameter			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0210	202-B189		1	Each	Removal of Impact Attenuator		
0220	202-B218		7	Each	Removal of Inlet Tops		
0230	202-B219		279	Each	Removal of and Replacement of SS-2 Inlet Top		
0240	202-B220		326	Linear Feet	Removal of Debris and Sand From Pipe, 58" x 36" Arch Pipe		
0250	202-B221		106	Linear Feet	Removal of Debris and Sand From Pipe, 72" x 51" Arch Pipe		
0260	202-B222		6,917	Linear Feet	Removal of Debris and Sand From Pipe, 15" Slottted Metal Pipe		
0270	203-A002	(E)	417	Cubic Yard	Unclassified Excavation, LVM		
0280	203-EX006	(E)	2,478	Cubic Yard	Borrow Excavation, AH, LVM, Class B3		
0290	203-Н004	(E)	100	Cubic Yard	Surplus Excavation, LVM, AH		
0300	206-A001	(S)	405	Cubic Yard	Structure Excavation		
0310	213-C001		17	Ton	Superphosphate		
0320	216-B004		5,000	Square Yard	Solid Sodding, Bermuda		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amoun	nt
0330	219-A001		100	Thousand Gallon	Watering	20.	00	2,000.	00
0340	220-A001		17	Acre	Insect Pest Control	30.	00	510.	00
0350	234-A001		49,300	Linear Feet	Temporary Silt Fence				
0360	235-A001		200	Bale	Temporary Erosion Checks				
0370	406-A001		226,661	Square Yard	Cold Milling of Bituminous Pavement, All Depths				
0380	413-E001		41,360	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement				
0390	503-C007		1,000	Linear Feet	Saw Cut, Full Depth				
0391 Added	512-A001 1 08/23/2007		2,500	Each	Holes				
0392 Added	512-C001 1 08/23/2007		145	Hundred Weight	Calcium Chloride				
0400	601-B001	(S)	31	Cubic Yard	Class "B" Structural Concrete, Minor Structures				
0410	602-A001	(S)	2,297	Pounds	Reinforcing Steel				
0420	603-CA002	(S)	1,984	Linear Feet	18" Reinforced Concrete Pipe, Class III				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0430	603-CA003	(S)	1,064	Linear Feet	24" Reinforced Concrete Pipe, Class III		
0440	603-CA004	(S)	428	Linear Feet	30" Reinforced Concrete Pipe, Class III		
0450	603-CA005	(S)	880	Linear Feet	36" Reinforced Concrete Pipe, Class III		
0460	603-CA006	(S)	232	Linear Feet	42" Reinforced Concrete Pipe, Class III		
0470	603-CE006	(S)	40	Linear Feet	58" x 36" Concrete Arch Pipe, Class A III		
0480	603-CE007	(S)	80	Linear Feet	65" x 40" Concrete Arch Pipe, Class A III		
0490	604-A001		4,373	Pounds	Castings		
0500	606-A002		63	Each	Guard Post, Type II Modified		
0510	606-B002		75	Linear Feet	Guard Rail, Class A, Type 1, Double Faced		
0520	606-B003		263	Linear Feet	Guard Rail, Class A, Type 1, Wood Post		
0530	606-C003		1	Each	Guard Rail, Cable Anchor, Type 1		
0540	606-D008		1	Each	Guard Rail, Bridge End Section, Type H		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0550	608-A001	(S)	17,013	Square Yard	Concrete Sidewalk, Without Reinforcement				
0560	609-B001	(S)		Linear Feet	Concrete Curb, Header				
0570	609-B002	(S)		Linear Feet	Concrete Curb, Doweled				
0580	609-B008	(S)	59,888	Linear Feet	Concrete Curb, Special Design Header, Type 1				
0590	609-B009	(S)	17,969	Linear Feet	Concrete Curb, Special Design Header, Type 2				
0600	609-D002	(S)		Linear Feet	Combination Concrete Curb and Gutter Type 2				
0610	609-D016	(S)		Linear Feet	Combination Concrete Curb and Gutter Type 3 Modified				
0620	613-D007		2	Each	Adjustment of Utility Appurtenance				
0630	616-A001	(S)		Square Yard	Concrete Median and/or Island Pavement, 4-inch				
0640	616-A003	(S)	766	Square Yard	Concrete Median and/or Island Pavement, 10-inch				
0650	618-A001		1	Lump Sum	Maintenance of Traffic	xxxxxxx	XXX		
0660	619-A1004		3	Mile	Temporary Traffic Stripe, Continuous White, Paint				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amoun	t
0670	619-A2004		3	Mile	Temporary Traffic Stripe, Continuous Yellow, Paint				
0680	619-A3007		21	Mile	Temporary Traffic Stripe, Skip White, Paint				
0690	619-A4002		2,080	Linear Feet	Temporary Traffic Stripe, Skip Yellow, Paint				
0700	619-A5002		13,786	Linear Feet	Temporary Traffic Stripe, Detail, Paint				
0710	619-A6003		14,552	Linear Feet	Temporary Traffic Stripe, Legend, Paint				
0720	619-A6004		2,071	Square Feet	Temporary Traffic Stripe, Legend, Paint				
0730	619-D1001		32	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet				
0740	619-D2001		696	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More				
0750	619-G4005		48	Linear Feet	Barricades, Type III, Double Faced				
0760	620-A001		1	Lump Sum	Mobilization	XXXXXXXX	XXX		
0770	626-A002		11	Mile	6" Thermoplastic Traffic Stripe, Skip White				
0780	626-B002		2	Mile	6" Thermoplastic Traffic Stripe, Continuous White				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0790	626-D001		1,040	Linear Feet	6" Thermoplastic Traffic Stripe, Skip Yellow		
0800	626-E002		2	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow		
0810	626-G001		33,426	Linear Feet	Thermoplastic Detail Stripe, White		
0820	626-G002		16,582	Linear Feet	Thermoplastic Detail Stripe, Yellow		
0830	626-H001		5,794	Square Feet	Thermoplastic Legend, White		
0840	626-H002		22,644	Linear Feet	Thermoplastic Legend, White		
0850	627-K001		2,114	Each	Red-Clear Reflective High Performance Raised Markers		
0860	627-L001		312	Each	Two-Way Yellow Reflective High Performance Raised Markers		
0870	629-A001		1	Each	Vehicular Impact Attenuator, 50 MPH		
0880	630-A001		1,121	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness		
0890	630-A002		706	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness		
0900	630-B001		553	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0910	630-B002		250	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted		
0920	630-C004		2,698	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft		
0930	630-D003		282	Linear Feet	Structural Steel Beams, W6 x 9		
0940	630-E001		174	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles		
0950	630-E002		58	Pounds	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles		
0960	630-E003		103	Pounds	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles		
0970	630-E004		180	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar		
0980	630-K001		103	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"		
0990	630-K003		48	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"		
1000	631-A001		1,942	Cubic Yard	Flowable Fill		
1010	635-A001		96	Linear Feet	Vehicle Loop Assemblies		
1020	636-A001		950	Linear Feet	Shielded Cable, AWG #18, 4 Conductor		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1030	638-A005		2	Each	Loop Detector Amplifier, Card Rack Mounted, 4 Channel		
1040	640-A016		67	Each	Traffic Signal Heads, Type 1 LED		
1050	640-A018		6	Each	Traffic Signal Heads, Type 3 LED		
1060	640-A020		1	Each	Traffic Signal Heads, Type 5R LED		
1070	640-A022		28	Each	Traffic Signal Heads, Type 7 LED		
1080	640-A031		3	Each	Traffic Signal Heads, Type 1A LED		
1090	640-A034		76	Each	Traffic Signal Heads, Type 6 LED Countdown		
1100	640-A036		12	Each	Traffic Signal Heads, Type 5L, LED		
1110	640-A037		2	Each	Traffic Signal Heads, Type 5LA, LED		
1120	642-A008		12	Each	Solid State Traffic Actuated Controllers, Type 8A		
1130	643-A001		1	Each	Closed Loop On-Street Master System		
1140	644-A001		45	Each	Optical Detector		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1150	644-B001		8,010	Linear Feet	Optical Detector Cable				
1160	644-C002		12	Each	Phase Selector, 4 Channel				
1170	646-A001		1	Lump Sum	Removal of Existing Traffic Signal Equipment	XXXXXXXX	XXX		
1180	647-A005		63	Each	Pullbox, Type 2				
1190	650-A002		2	Each	On Street Video Equipment, Fixed Type				
1200	650-A003		1	Each	On Street Video Equipment, PTZ Type				
1210	666-B004		3,558	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor				
1220	666-B015		10,127	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor				
1230	666-B016		8,160	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor				
1240	668-A016		905	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"				
1250	668-A018		840	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"				
1260	668-A020		335	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount
1270	668-B024		1,955	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"			
1280	668-B025		2,225	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"			
1290	699-A001		1	Lump Sum	Roadway Construction Stakes	XXXXXXXX	XXX	
1300	907-213-A001		68	Ton	Agricultural Limestone			
1310	907-227-A001		34	Acre	Hydroseeding			
1315 Added	907-237-A001 1 08/23/2007		1,000	Linear Feet	Wattles			
1320	907-403-B002	(BA1)	3,474	Ton	Hot Mix Asphalt, HT, 19-mm mixture, Leveling			
1330	907-403-D004	(BA1)	17,196	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified			
1340	907-403-E004	(BA1)	18,441	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling			
1345 Added	907-512-B006 1 08/23/2007		1,448,500	Pounds	Portland Cement Pressure Grout Slurry, Type 6.			
1350	907-603-V001		43,148	Linear Feet	Video Pipe Inspection, All Sizes			
1360 Chang	907-622-A002 ged 08/21/2007		1	Each	Engineer's Field Office Building, Type 3			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount
1370	907-626-C003		7	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White			
1380	907-626-F003		6	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow			
1390	907-626-G001		784	Linear Feet	Thermoplastic Detail Stripe, Blue-ADA			
1400	907-629-D001		64	Linear Feet	Crash Cushion System			
1410	907-630-I001		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed	XXXXXXXX	XXX	
1420	907-639-A002		2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm			
1430	907-639-A006		3	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm			
1440	907-639-A007		4	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm			
1450	907-639-A011		4	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm			
1460	907-639-A015		6	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm			
1470	907-639-A016		2	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm			
1480	907-639-A017		6	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 25' Arm			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1490	907-639-A020)	5	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm		
1500	907-639-A021		3	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm		
1510	907-639-A028	}	1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' Arm		
1520	907-639-A029	1	2	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' Arm		
1530	907-639-A030)	1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 65' Arm		
1540	907-639-A031		2	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm		
1550	907-639-A032	,	1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 25' & 60' Arms		
1560	907-639-A033	1	1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 35' Arms		
1570	907-639-A034		12	Each	Traffic Signal Equipment Pole, Type VI, 8' Shaft		
1580	907-639-C002		152	Cubic Yard	Pole Foundations, 36" Diameter		
1590	907-639-C003		7	Cubic Yard	Pole Foundations, 24" Diameter		
1600	907-639-D001		581	Linear Feet	Slip Casing, 36" Diameter		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	ī
1610	907-648-C001		12	Each	Radio Ethernet Interconnect, Local Intersection				
1620	907-648-D001		6	Each	Radio Ethernet Distribution Repeater Installation				
1630	907-648-E001		5	Each	Radio Ethernet Fixed Backbone Repeater Installation				
1640	907-648-F001		1	Lump Sum	Radio Interconnect Training, Testing and Installation	XXXXXXXX	XXX		
1650	907-649-A001		43	Each	Video Detection System, 1 Sensor				
1660	907-649-B001		14	Each	Video Detection-Data Collection and Reporting Tool License				
1670	907-649-D001		14	Each	Video Detection-Digitized Video Encoder/Decoded				
1680	907-649-E001		1	Lump Sum	Video Detection Training	XXXXXXXX	XXX		
1690 Chang	907-687-A014 ged 08/21/2007		2	Each	Loop, Sensor, Loop ATR Station				
1700 Added	907-687-B001 d 08/21/2007		3	Each	Loop, Sensor, Loop Temporary Traffic Station,				

*** BID CERTIFICATION ***

	*** DBE/WBE SECTION ***	
Complete item nos. 1, 2, and/or 3 as appropr	riate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction	
I/We agree that no less than economically disadvantaged individuals	percent shall be expended with small business concerns owned and controlled by socially and s (DBE and WBE).	i
2. Classification of Bidder: Small Business	s (DBE) Small Business (WBE)	
3. A joint venture with a Small Business (I	DBE/WBE):	
	*** SIGNATURE STATEMENT ***	
	*** SIGNATURE STATEMENT *** ECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIG	URES
		URES
		URES
		URES
R ACKNOWLEDGES THAT HE/SHE HAS CHE IN CONSTITUTE THEIR OFFICIAL BID. —		URES :
	ECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIG	URES
	ECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIG	URES :
	ECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIG	URES :
	ECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIG BIDDER'S SIGNATURE	URES